



TERAFEST®




DECKING ■ FENCES ■ CLADDING

TERAFEST® DECKING



FOREST




profile	width	thickness	standard length	custom length	weight
PREMIUM	137 mm	22 mm	4 m	2–6 m	3,3 kg/lm
MAX	195 mm	22 mm	4 m	2–4 m	4,6 kg/lm



extra brindle finish


FOREST PLUS



profile	width	thickness	standard length	custom length	weight
PREMIUM	137 mm	22 mm	4 m	2–6 m	3,3 kg/lm



STAR




profile	width	thickness	standard length	custom length	weight
PREMIUM	137 mm	23 mm	4 m	–	3,4 kg/lm



extra brindle finish


NATUR PLUS



profile	width	thickness	standard length	custom length	weight
PREMIUM	137 mm	23 mm	4 m	2–6 m	3,5 kg/lm



RUSTIC




profile	width	thickness	standard length	custom length	weight
TOP	140 mm	22 mm	4 m	–	3,3 kg/lm
MAX	195 mm	22 mm	4 m	–	4,6 kg/lm

TERAFEST® FENCES



extra brindle finish

FOREST PLUS


profile	width	thickness	standard length	custom length	weight
	120 mm	11 mm	3,6 m	–	1,7 kg/lm




TERAFEST® CLADDING





FOREST ECO

profile	width	thickness	standard length	custom length	weight
	150 mm	14 mm	3,1 m (3,3 m)	–	2,1 kg/lm





TERAFEST® FINISHING BOARDS


SMOOTH / FOREST

profile	width	thickness	standard length	custom length	weight
	70 mm	16 mm	2 m	–	1,4 kg/lm
	90 mm	16 mm	2 m	–	1,7 kg/lm



FOREST / RUSTIC

profile	width	thickness	standard length	custom length	weight
	120 mm	11 mm	3 m	–	1,7 kg/lm
	150 mm	19 mm	4 m	–	3,4 kg/lm



FOREST

profile	width	thickness	standard length	custom length	weight
	195 mm	22 mm	4 m	–	2,1 kg/lm



TERAFEST® ACCESSORIES

WPC FIXING SYSTEM



Stainless steel clips and screws, which are resistant to chlorine and salt water, allow for easy attachment of the boards to the joists.



	width	thickness	standard length	custom length	weight
LARGE JOIST	50 mm	50 mm	3/4 m	–	2,3 kg/lm
SMALL JOIST	50 mm	30 mm	3/4 m	–	1,4 kg/lm

AL FIXING SYSTEM

This system offers everything you need for quick installation of the decking: aluminium joists, clips and other and other fastening material. Offers greater load capacity of the structure.





	width	thickness	standard length	custom length	weight
JOIST 23	35 mm	23 mm	4 m	–	0,39 kg/lm
JOIST 25	35 mm	25 mm	4 m	–	0,49 kg/lm
JOIST 40	40 mm	40 mm	4 m	–	0,67 kg/lm
JOIST 75	40 mm	75 mm	4 m	–	1,1 kg/lm

GET INSPIRED

AND BRING YOUR DREAMS TO LIFE

TERAFEST® products unleash your creativity and help you to realize your vision! Due to their advanced design and extended service life, they're a highly recommended alternative to wood. Whether you're planning the installation of decking, fencing, cladding or other design elements in or around your home, TERAFFEST® is the key to bringing your dreams to life.



The original, patented polymer/wood composition of TERAFFEST® products allow you to easily bend them into a wide range of atypical shapes. Do you have an oval pool or whirlpool? No problem! TERAFFEST® products can easily conform to their curves. With TERAFFEST®, you are never limited to right angles.

What was once considered a major challenge is now within your reach. Easily cover your stairs or put a deck around your swimming pool. Clad your house or cottage with minimum fuss. TERAFFEST® can adapt to all demanding applications.

Combine colors. Mix and match profiles. Install boards in different directions. If you can dream it, TERAFFEST® can help you bring it to life!

Images are for illustrative purposes only and are subject to change.



TERAFEST®

7 REASONS WHY

YOU SHOULD CHOOSE TERAFEST®

LOW MAINTENANCE ■ TERAFFEST® products are made from durable, colorfast materials that retain their color over the course of their service life. You'll never have to worry about applying paint, wax, oil or stain, saving you both time and money.

EXTREMELY SAFE ■ All TERAFFEST® decking features an anti-slip surface that's splinter-free. And due to its hidden fastening system, deck boards have tight, level seams for a smooth and trip-free surface. Taken together, TERAFFEST® ensures the highest level of safety for you and your children.


UP TO 25 YEAR WARRANTY ■ TERAFFEST® products are highly resistant to pool chemicals, salt, adverse weather conditions, fungus, and UV radiation. We are therefore fully confident in providing a limited warranty on all of our products for up to 25 years.

ECOLOGICAL ■ We support sustainable forest management and are proudly PEFC certified. To remove pressure from forests, wood scraps are used in our manufacturing process and all of our products are 100% recyclable. We only use natural and virgin materials, with no PVC used in our manufacturing process.

HIGH STRUCTURAL INTEGRITY ■ We use an advanced extrusion process for creating TERAFFEST® products, which are completely solid and impressively strong. Due to their high structural integrity, bending, breaking and cracking are virtually eliminated.

WIDE RANGE OF COLORS AND DESIGNS ■ To help meet many different needs and preferences, TERAFFEST® products are available in an extended range of colors and designs. All feature a surface that is not only attractive, but comfortable to the touch.

MANUFACTURED IN THE EUROPEAN UNION ■ TERAFFEST® is manufactured in the heart of Europe and utilizes patented technology from the American company Strandex, which has more than 30 years of experience on the international market.





MANUFACTURED IN THE EUROPEAN UNION

TERAFEST® is proudly
based in the heart
of Europe.



UP TO 25 YEAR WARRANTY

We have complete
trust in our products.
We therefore offer a warranty
of up to 25 years.



ANTI-SLIP SURFACE

TERAFEST® decking has
an advanced anti-slip surface,
and unlike wood, it never
splinters.



LOW MAINTENANCE

TERAFEST® uses highly
durable, colorfast
materials that require
no painting, waxing,
staining or oil.



ECOLOGICAL – PVC FREE

TERAFEST® does not
contain PVC and is
100% recyclable.



MORE INFO



WPC – WOODPLASTIC a.s.

Bukovany 181 __ 257 41 Týnec nad Sázavou __ Czech Republic
+420 321 001 523 __ info@woodplastic.eu __ www.woodplastic.eu



WOODPLASTIC®
EUROPEAN MANUFACTURER OF COMPOSITE WOOD